

Media Management and Automation System

for Broadcast



 **TRACT**

The logo for TRACT. It consists of three parallel diagonal green bars of increasing length from left to right, followed by the word "TRACT" in a bold, dark gray sans-serif font.

Infopanel: Main clip

USER MANUAL

September 2012

TABLE OF CONTENTS

1 'Main' is the main clip.....	3
1.1 Event log	3
1.2 Properties	3
1.3 Methods	3
Contact information.....	5

1 'Main' is the main clip

This clip is the main clip of Infopanel. It can read configuration and control other clips. The clip displays event log that may be useful during bug fixing and configuration.

1.1 Event log

The event log is displayed by clicking on an upper right corner. Here is the log indicator is found. If there are no messages, the indicator is hidden. Otherwise, depending on the type of message, the indicator may change color to green, yellow or red. Subsequently, the log includes a simple unread message, a warning or an error message. After opening the log window, the error indicator is reset and becomes visible again only after new records appear in log.

The log stores a specified number of messages. Default number is 200, with the first half of messages saved from the beginning of work and the second one cyclically rerecorded, storing only the latest events.

The text of the opened log window is not updated. To update it, press **Refresh** in the upper right corner of the window.

To close the window, press the **X** button in the upper right corner.

Log parameters can be specified in the config file.

1.2 Properties

There are no available properties.

1.3 Methods

- `SetTextFormat(text_file_id:string, format_str:string)`
 - `text_file_id` — ID of text field
 - `format_str` — format string of the **font=Arial,size=16**, etc.

The list of possible parameters and their default values are listed in the table below.

align = "left"
blockIndent = 0
bold = false
bullet = false
color = 0x000000
font = "Arial"
indent = 0
italic = false
kerning = false
leading = 0
leftMargin = 0
letterSpacing = 0
rightMargin = 0
size = 12
target = "" (empty string)
underline = false
url = "" (empty string)

Contact information

DIGISPOT System GmbH
Grillparzerstraße 6a D - 22085, Hamburg, Germany
Tel.: +49 (40) 229-88-83, Fax: +49 (40) 22-32-09

<http://www.digispot.com>
e-mail: support@digispot.com

TRACT-SOFT, LLC
197101, ul. Kronverkskaya, 23, Saint-Petersburg, Russia
Tel.: +7 (812) 490-77-99, Fax: +7 (812) 233-61-47

<http://www.digispot.ru>
e-mail: support@digispot.ru